

Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

COMPANY

Eldeco Elettronica Srl

Via Giordano Bruno N 83
Torino, TO 10134 Italy

E546453

View model for additional information

Cable Assembly, Model(s): M12 followed by A, B or D, followed by 02, 03, or 04, followed by MS followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by SH or blank

Female Cable Fittings, Model(s): M12 followed by A or B, followed by 05 followed by MDN, MDS, MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03 or 04, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG, followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03, or 04, followed by ML followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03, or 04, followed by SL, followed by Q, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by SL, followed by Q, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08 followed by MDN, MDS, MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by ML followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by ML, followed by Q, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by one to four alphanumeric digits or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by SDN, SDS, SDG, SRN, SRS or SRG followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by SL, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by SL, followed by Q, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12 followed by MDN, MDS, MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by ML followed by ML, followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by ML followed by Q, FM, FG, FS, PM or PG followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by one to four alphanumeric digits or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by SDN, SDS, SDG, SRN, SRS or SRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by SL, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 17 followed by MDN, MDS, MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by ML followed by Q, FM, FG, FS, PM or PG followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by one to four alphanumeric digits or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by ML followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by SDN, SDS, SDG, SRN, SRS or SRG, followed by P followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by SL, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by SL, followed by Q, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by SH, S or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 03 followed by MDN, MDS, MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by ML followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by MW followed by FM, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by SDN, SDS,SDG, SRN, SRS or SRG, followed by P followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by SL followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by SW, followed by FR, FT or PS followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 04 followed by MDN, MDS,MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by ML followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by MS, SS or MM, followed by DN, DS,DG, RN, RS, RG, DRN, DRS or DRG,... followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank,

Female Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by MW, followed by FM, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by SDN, SDS,SDG, SRN, SRS or SRG, followed by P, followed by V or P followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by SL followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank. followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by SW, followed by FR, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06 followed by MDN, MDS,MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by ML followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by MS, SS or MM, followed by DN, DS,DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by MW followed by FM, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by SDN, SDS,SDG, SRN, SRS or SRG, followed by P followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by SL followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by SW, followed by FR, FT or PS followed by FR, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 08 followed by MDN, MDS,MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by ML followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by MW followed by FM, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by SDN, SDS,SDG, SRN, SRS or SRG, followed by P followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by SL, followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by SW, followed by FR, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by B, followed by 05 followed by MDN, MDS,MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by MS followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Female Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by MW followed by FM, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Female Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by SDN, SDS,SDG, SRN, SRS or SRG, followed by P followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Female Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by SS followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH , RSH or blank

Female Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by SW, followed by FR, FT or PS, followed by one to four alphanumeric digits, followed by A, B, C ... Z or blank, may be followed by one to four alphanumeric digits or blank, followed by blank

Male Cable Fittings, Model(s): M12 followed by A, B or D followed by 02, 03 or 04, followed by MDN, MDS, MDG, MRN, MRS or MRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Male Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03 or 04, followed by SDN, SDS, SDG, SRN, SRS or SRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Male Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03, or 04, followed by ML followed by Q, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by one to four alphanumeric digits or blank, followed by SH, S or blank

Male Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03, or 04, followed by SL, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by blank

Male Cable Fittings, Model(s): M12 followed by A, B or D, followed by 02, 03, or 04, followed by SS, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by SH or blank

Male Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Male Cable Fittings, Model(s): M12 followed by A, followed by 08, followed by SS, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by SH or blank

Male Cable Fittings, Model(s): M12 followed by A, followed by 12 followed by MS followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by SH or blank

Male Cable Fittings, Model(s): M12 followed by A, followed by 12, followed by SS, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by SH or blank

Male Cable Fittings, Model(s): M12 followed by A, followed by 17 followed by MS, followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by SH or blank

Male Cable Fittings, Model(s): M12 followed by A, followed by 17, followed by SS, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by SH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by MS, followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 03, followed by SS followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by MS followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 04, followed by SS followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by MS followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 06, followed by SS, followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by MS, followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Male Cable Fittings, Model(s): M8 followed by A, followed by 08, followed by SS followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by SH, RSH or blank

Male Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by ML, followed by FM, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Male Cable Fittings, Model(s): M8 followed by B, followed by 05, followed by SL, followed by FR, FT or PS, may be followed by one to four alphanumeric digits or blank, followed by blank

Panel Mount Inlet, Model(s): M12 followed by A or B followed by 05, followed by SS, followed by FQ, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by SH or blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05 followed by MS followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by SH or blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05, followed by SDN, SDS, SDG, SRN, SRS or SRG, followed by P, followed by V or P, followed by one to four alphanumeric digits, followed by A, B, C... Z or blank, may be followed by one to four alphanumeric digits or blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05, followed by ML followed by Q, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by one to four alphanumeric digits or blank, followed by SH, S or blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05, followed by ML, followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05, followed by SL, followed by FQ, FM, FG, PM or PG, followed by one to four alphanumeric digits or blank, followed by blank

Panel Mount Inlet, Model(s): M12 followed by A or B, followed by 05, followed by SL, followed by Q, FM, FG, PM or PG followed by one to four alphanumeric digits or blank, followed by one to four alphanumeric digits or blank, followed by A, B, C...Z or blank, followed by SH, S or blank

Panel Mount Inlet, Model(s): M12 followed by A, followed by 08 followed by MS followed by FQ, FM, FG, FS, PM or PG, followed by one to four alphanumeric digits or blank, followed by SH or blank

Panel Mount Inlet, Model(s): M8 followed by A, followed by 03, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank,

Panel Mount Inlet, Model(s): M8 followed by A, followed by 05, followed by MS, SS or MM, followed by DN, DS, DG, RN, RS, RG, DRN, DRS or DRG, followed by PV or PP, followed by one to four alphanumeric digits, followed by A, B, C...Z or blank, may be followed by one to four alphanumeric digits or blank

Last Updated on 2025-03-13

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."